



TECNIA INSTITUTE OF ADVANCED STUDIES

NAAC GRADE "A" INSTITUTE (CYCLE-2)

Approved by AICTE, Ministry of Education Govt. of India,
Affiliated to G.G.S.I.P. University & Recognized Under Sec. 2(f) of UGC Act 1956.

INSTITUTIONAL AREA, MADHUBAN CHOWK, ROHINI, DELHI-110085

13. General Parameters about the Institution

(i) Individual seating arrangements for faculty with suitable furniture



Dr. Monisha, Faculty



Dr. Archana Dixit, Faculty



Dr. Pooja Sharma



Dr. Pushpa Rani



Dr. Shaheen Bano, Faculty



Dr. Garima Singh, Faculty



Dr. Nivedita, Faculty



Dr. Shivendu Kr. Rai, Faculty



Ms. Sumita Thukral, Faculty



Ms. Geetika, Faculty



Dr. Surbhi Jain, Faculty

Dr. Gopal Thakur, Faculty



Ms. Jyoti Gupta, Faculty



Mr. Ashish Kumar, Faculty



Mr. Mayank Arora, Faculty



Dr. Kanika Gupta, Faculty



Ms. Rajni Bansal, Faculty



Ms. Sania, Faculty



Dr. Sheenu Arora, Faculty



Dr. Rubeena Bano, Faculty



Dr. Neha, Faculty



Ms. Garima sainsi, Faculty



Ms. Jagriti Bhatia, Faculty

(ii) Institution Website URL

<https://tiaspg.tecnia.in/>

Separate Girls & Boys Common Room along with toilet

Separate Common Rooms for Girls & Boys Available:

- The institute provides dedicated a Common Room for Girls' and Boys'. The spaces are in comfortable and safe environment for all students, designated and comfort for girls and boys to relax study and socialize with privacy.

Toilet Facilities:

- The institute provides common room attached with separate toilet for girls and boys to maintain privacy and hygiene, Clean, well-maintained, and adequately equipped toilet facilities will be provided adjacent to or within the common rooms.



Separate Common Room for Boys along with Toilet



Boys Common Room



Toilet

(iv) Cleanliness of toilets



(v) Students' canteen and drinking water arrangements

The Institute has provided a full fledge cafeteria for the benefits of the students wherein all sorts of snacks, beverages, tea, coffee and even lunch provided at very nominal rate. The kitchen of the cafeteria is hygienically inspected almost every week and the food stuff provided by the cafeteria is tested by the Faculty member In charge of the cafeteria. This is a place where students get maximum refreshment with eatables of their choice.



Cafeteria



DRINKING WATER



Institute has provided water coolers on almost every floor which provide cool water especially in the summer season to the students. The coolers are also fitted with Acquaguard and RO System for purification of water so that the water may be made germs free. The water coolers and the Acquaguard both are clean periodically under the supervision of the Administrative office

Potable Water, Water Cooler with Ro System



Potable Water, Water Cooler With Ro System

Supply of JAL Board Water

 STOP CORONA: I. Wear Mask. II. Follow Physical Distancing. III. Maintain Hand Hygiene.	Delhi Jal Board (दिल्ली जल बोर्ड) (Government of NCT of Delhi) www.djb.gov.in Regular Water Bill	 Don't just stop water. Stop it. Save it.			
Name(नाम): HELTH EDUCATION SOCIETY (REGD) Address(पता): PLOT NO-3, P. S. P-4, SEC-14, ROHINI, Delhi, 110085 Mobile No. (मोबाइल): 8586873258 Zone/Loc (क्षेत्र / स्थान): NW2 / Rohini Area Code (एरिया कोड): A-187 MR Code (एमआर कोड): 888/METERED KNO(केएनओ): 3929560000	Consumer Category(उपभोक्ता श्रेणी): CAT II Premise Detail (परिसर विवरण): (No of floors-1) Meter No. (मीटर संख्या): M3929560000 Meter Type (मीटर का प्रकार): (DJB/Pvt): PVT Bill No. (बिल संख्या): 392097201758 Bill Cycle(बिल चक्र): ZALL(2024-03) Bill Basis(बिल आधार): REGULAR	Bill Date(बिल की तिथि): 18-SEP-2024 Bill Amount (Rs.) (बिल राशि (₹)) 1889 Bill Amount Payable (Rs.) (देय बिल राशि (₹)) (Nearest up to Rs. 10) (नज़दीक 10 ₹ तक) 1890 Bill Due Date(बिल देय तिथि): 05-OCT-2024 Amount Payable After Due Date(Rs.) (देय तिथि के बाद देय राशि (₹)) 1984			
Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)	Previous Meter Read (मीटर की पिछली रीडिंग)	Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)
M3929560000	KL	18-SEP-2024	2194 / OK	13-JUL-2024	2162 / OK
Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (13-JUL-2024 to 18-SEP-2024)					
Applicable Rate Period 14-JUL-2024 to 18-SEP-2024 14-JUL-2024 to 18-SEP-2024 14-JUL-2024 to 18-SEP-2024 14-JUL-2024 to 18-SEP-2024 14-JUL-2024 to 18-SEP-2024		Description Total Consumption Charges Sewerage Charge (80 % of Water Consumption Charge) Service Charge - Consumption between 5-15 KL Sub Total Bill Amount without Meter Rent Subtotal Bill Amount Adjustment Details Are Listed Below Late payment charge Late payment charge			Amount(Rs.) 725.55 435.33 653.96 1814.84 1814.84 -1678.06 1751.58
Arrear, if any (Rs.) (यकामा, यदि कोई (₹))					0.25
Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))					1889
Late Payment Surcharge (Rs.) (देय से शुल्कान पर अधिवार) (5% surcharge will be applicable after due date) (देय तिथि के बाद 5% अधिवार लागू होगा)			94.4 3	Amount with LPSC after due date (Rs.) (देय तिथि के बाद एलपीएस के साथ राशि (₹))	
					1984
PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (रूट योजना के लिए देय राशि (₹))					
Bill History (बिल इतिहास)					
Bill from Date	Bill to Date	Days	Reading	Status	Units
20-MAY-2024	13-JUL-2024	54	2162	OK	26
25-JAN-2024	20-MAY-2024	116	2136	OK	31
17-OCT-2023	25-JAN-2024	100	2105	OK	135
16-AUG-2023	17-OCT-2023	62	1970	OK	25
14-JUL-2023	16-AUG-2023	33	1945	OK	15
Amount(Rs.)					
1471	18199	14380	2388	880	
Payment History (पेमेंट इतिहास)					
Receipt Id	Amount(Rs.)	Date			
392115804180	1470.00	07-AUG-2024			
392091939203	18300.00	31-MAY-2024			
3922848693814	2908.00	04-DEC-2023			
392502342244	2820.00	27-JUL-2023			
3920425399548	2230.00	14-JUN-2023			
Important Message					
If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन बंद दिया जा सकता है)					
For any assistance / query : Please call 1916 or www.djb.gov.in (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या www.djb.gov.in पर जाएं)					
 Delhi Jal Board Bill Payment Counter Foil			Cheque / DD should be drawn in favour of DJB in the following format (चेक / डिमांड ड्राफ्ट ड्राफ्ट भुगतान करने के लिए बिल काउंटर का उपयोग करके DJB KNO)		
KNO(केएनओ)	3929560000	Name(नाम)	HELTH EDUCATION SOCIETY (REGD)	Bill No. (बिल संख्या)	392097201758
Bill Date(बिल की तिथि)	18-SEP-2024	Bill Due Date (बिल देय तिथि)	05-OCT-2024	Bill Amount (Rs.) (बिल राशि (₹))	1889
Bill Amount with LPSC (Rs.): 1984 (LPSC के साथ बिल राशि (₹)):		Payment Date/ (भुगतान की तारीख) Amount Paid(Rs.) (राशि का भुगतान (₹))		Cash/Cheque No./DD No.: (कैश / चेक नंबर / डीडी नं. :)	
			Name of Bank / Branch (बैंक / शाखा का नाम)		

TEST REPORT

Test Report No.:	TR320250514006	Page: 1 of 2	
Name of Customer (Report Issued To):	TECNIA INSTITUTE OF ADV STUDIES INSTITUTIONAL AREA, MADHUBAN CHOWK, ROHINI, NEW DELHI, 110085		
Name of Manufacturer:	N/A		
Item Description/Particulars Of Sample Submitted:	Said to be, "Drinking Water".		
Sample/Item Condition:	Fit for testing		
Identification:	Model/ Model No./ Type	Serial No.:	Nil
	-	Sample Code:	Nil
Sample Deposited/Collected by:	Customer		
Customer Reference no.	Nil	Date:	05/05/2025
Job Order No.:	BTH-R3/CH/250505/1	Date of receipt:	05/05/2025
Date(s) of performance of tests:	09/05/2025 to 13/05/2025		
Laboratory Name and Address:	BHARAT TEST HOUSE PVT. LTD. 1668 (DIV-II), HSIIDC Indl. Estate, Rai, Distt. Sonapat-131029, Haryana.		
Test Location:	At Lab		
Test specification(s):	IS 10500: 2012 + Amd.1: 2015 + Amd.2: 2018 + Amd.3: 2021 + Amd.4: 2021		
General Environmental Conditions:	Temperature: 27± 2°C, Relative Humidity: 65± 5%		
Result:	The results reported are as per relevant test specification/Standard. - Deviation from the test methods as prescribed in relevant Specification/Work Instructions: N/A - The information supplied by the customer may affect the validity of results reported as per standard requirement. - Statement of conformity is not required by the customer. - Authorized signatory is responsible for the results reported by the lab for the requested activity by the customer except for the information provided by the customer.		
Supplementary Information's:			
Abbreviations:	N/A: Not applicable		
Remarks:	1. This report is supplementary with reference to our earlier Test Report No. TR320250514004 & TR320250514005 dated 14/05/2025. 2. The test(s) have been carried out as per customer request only. 3. The report has been generated and verified digitally. This report is related to the sample submitted.		
Tested by:	Reviewed by:	Authorized by:	
			
Shailendra	Shipra Aggarwal	Shipra Aggarwal	
Testing Engineer/Analyst	Authorized Signatory	Authorized Signatory	
Date: 14/05/2025	Date: 14/05/2025	Date: 14/05/2025	



Scan this QR Code to verify the Report

BTHPL/7.2/01

BHARAT TEST HOUSE PVT. LTD.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1)The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.

S. No.	Test & Clause reference	Requirement as per IS 10500: 2012 + Amd.1: 2015 + Amd.2: 2018 + Amd.3: 2021 & Amd.4: 2021		Test Results/Observations
		Requirements (Acceptable Limit)	Requirements limit In the absence of alternate source	
A	Organoleptic and Physical Parameter (Table 1)			
	Taste			
1.	Cl. 4, Table 1, S.No. (iv) of IS 10500:2012 & IS 3025 (Part 8): 2023	Agreeable	Agreeable	Agreeable
	Turbidity			
2.	Cl.4, Table 1, S.No. (v) of IS 10500: 2012 & IS 3025 (Part 10): 2023	1 NTU Max.	5 NTU Max.	<1 NTU
	Total Dissolved Solids			
3.	Cl.4, Table 1, S.No. (vi) of IS 10500: 2012 & IS 3025 (Part 16): 2023	500 mg/l Max.	2000 mg/l Max.	135 mg/l
B	General Parameters Concerning Substance Undesirable in Excessive Amounts (Table 2)			
	Iron (as Fe)			
1.	Cl. 4, Table 2, S.No. (xii) of IS 10500: 2012 & IS 3025 (Part 53): 2024	1.0 mg/l Max.	No relaxation	0.08 mg/l

.....End of the document.....


BHARAT TEST HOUSE PVT. LTD.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1)The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.

